

# **CSR SAFETY DATA SHEET**

## **CSR Wet Area Base Coat**

### **SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product Name:	CSR Wet Area Base Coat
Other Names:	None
Product Codes/Trade Names:	N/A
Recommended Use:	For use as a base coat in wet area applications
Applicable In:	Australia
Supplier:	CSR Building Products Limited ABN 55 008 631 356
Address:	Triniti 3, 39 Delhi Road, North Ryde, NSW 2113, Australia
Telephone:	+61 2 9235 8000 (or 1800 807 668 (available in Australia only))
Email Address:	http://www.gyprock.com.au/Pages/Contact-Us.aspx
Web Site:	http://www.gyprock.com.au/Pages/Resources/MSDS.aspx
Facsimile:	+61 2 9372 5819
Emergency Phone Number:	000 Fire Brigade and Police (available in Australia only)
Poisons Information Centre:	13 11 26 (available in Australia only)

This Safety Data Sheet (SDS) is issued by the Supplier in accordance with National standards and guidelines from Safe Work Australia (SWA – formerly ASCC/NOHSC). The information in it must not be altered, deleted or added to. The Supplier will not accept any responsibility for any changes made to its SDS by any other person or organization. The Supplier will issue a new SDS when there is a change in product specifications and/or Standards, Codes, Guidelines, or Regulations.

### **SECTION 2: HAZARD IDENTIFICATION**

**STATEMENT OF HAZARDOUS NATURE**: Classified as **Non-Hazardous** according to the criteria of Safe Work Australia (SWA – formerly ASCC/NOHSC) Approved Criteria For Classifying Hazardous Substances [NOHSC:1008] 3rd Edition.

**CSR Wet Area Base Coat** is classified as **Non-Dangerous** Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

#### **GHS CLASSIFICATION:**

**Not classified as Hazardous.** Because this product is classified as Non-Hazardous, a Safety Data Sheet (SDS) is not required under the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) or Australian Regulations. CSR has elected to issue this SDS for the information of users, installers and the community. It has been formatted according to the GHS, as adopted by Safe Work Australia.

### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name:	Synonyms:	Proportion:	CAS Number:
Calcium carbonate	Limestone	<80%	1317-65-3
Acrylic polymer water emulsion	n/a	<25%	-
Cellulose thickener, dispersants	n/a	<1%	-
Plasticizer	n/a	<1%	-
Biocide	n/a	<0.2%	26172-55-4



ater	n/a	to 100%	7732-18-5
------	-----	---------	-----------

Note: Residual monomers are less than 0.1% of the acrylic polymer water emulsion.

## **SECTION 4: FIRST AID MEASURES**

Swallowed:	Rinse mouth and lips with water. Do not induce vomiting. If symptoms persist, seek medical attention.	
Eyes:	Flush thoroughly with flowing water, while holding eyelids open, for 15 minutes to remove all traces. If symptoms such as irritation or redness persist, seek medical attention.	
Skin:	Wash thoroughly with soap and water. Remove heavily contaminated clothing. Shower if necessary. Seek medical attention for persistent redness, irritation or burning of the skin.	
Inhaled:	Remove to fresh air, away from dusty area. If symptoms persist, seek medical attention.	
Advice to Doctor:	Treat symptomatically.	

### **SECTION 5: FIRE FIGHTING MEASURES**

Suitable extinguishing media:	Use carbon dioxide, foam, dry chemical or water spray to extinguish, as required for fire in surrounding materials.
Specific hazards:	When heated to decomposition it may emit carbon dioxide, acrid smoke, and irritating fumes including acrylic monomers.
Special protective equipment and precautions for firefighters:	As required for fire in surrounding materials.
HAZCHEM Code:	None

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures:	Recommendations on Exposure Controls / Personal Protection (see Section 8 below) should be followed during spill and clean-up.
Environmental precautions:	Do not allow this product to enter drains, storm water systems or waterways.
Methods and materials for containment and cleaning up:	Scrape/shovel material into bins.

## **SECTION 7: HANDLING AND STORAGE**

Precautions for safe handling:	Respirable dusts can be generated during processing, handling, and storage. Wear protective equipment to prevent skin and eye contamination. Manual handling should be in accordance with Manual Handling Regulations and Codes.
Conditions for safe storage:	This product should be stored in a sealed container in a cool, dry area.
Incompatibilities:	None

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

Exposure Standards:	Workplace Exposure Standards for Airborne Contaminants, Safe Work Australia
	No exposure standard allocated to this non-hazardous product.
	Any dust generated should be treated as nuisance dust:

202	SDS for CSR Wet Area Base Coat Page 3 of		
		Calcium carbonate dust: TWA – 10 mg/m³	
		Total dust (of any type, or particle size): TWA – 10 mg/m³	
Note	es on Exposure Standards:	All occupational exposures to atmospheric contaminants should be kept to as low a level as is workable (practicable) and in all cases to below the Workplace Exposure Standard (WES).	
		TWA (Time Weighted Average): the time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.	
Biol	ogical Limit Values:	No biological limit allocated.	
En	GINEERING CONTROLS		
	Ventilation:	General room ventilation should be adequate, but local mechanical ventilation may be required if dust is generated, particularly in confined spaces.	
	Special Consideration for Repair &/or Maintenance of Contaminated Equipment:	Work areas should be cleaned regularly by damp sweeping or vacuuming. Recommendations on Exposure Control and Personal Protection should be followed.	
PE	PERSONAL PROTECTION		
	Personal Hygiene	Wash work clothes regularly. Wash hands before eating, drinking, using the toilet, or smoking.	
	Skin Protection:	Engineering controls and work practices should aim to minimise direct contact with the base coat. Wear loose comfortable clothing. Direct skin contact should be avoided by wearing long sleeved shirts and long trousers, a cap or hat, and gloves (standard duty leather or equivalent AS 2161).	
	Eye Protection:	Safety spectacles with side shields or coverall goggles with direct ventilation (AS/NZS 1336) should be worn if a risk of eye contact exists.	
	Respiratory Protection:	Not required under normal circumstances. An approved particulate respirator conforming to Australian Standards AS/NZS 1715 and 1716 should be worn if dust is generated, particularly if working in a confined environment. Respirators should be correctly fitted, maintained in good condition, and kept in clean storage when not in use. Replaceable filters and cartridges should be replaced regularly in accordance with the manufacturers' guidelines and Australian Standards AS/NZS 1715 and 1716.	

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Pale thick paste dispersible in water
Odour:	None
Odour threshold:	Not applicable
pH:	Not determined
Melting point:	Not determined
Initial boiling point and range:	Not determined
Flash point:	Not applicable
Evaporation rate:	Not determined
Flammability:	Non-flammable
Upper/lower flammability or explosive limits:	Not applicable
Vapour pressure:	Not applicable

Vapour density:	Not applicable
Specific gravity (Relative density):	Approximately 1.5 to 1.7
Solubility:	Very low
Partition coefficient (n-octanol/water):	Not determined
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not determined
Viscosity:	Not determined
% Volatiles:	0%
Volatile Organic Compounds (VOC) Content:	0%
(as specified by the Green Building Council of Australia)	

### **SECTION 10: STABILITY AND REACTIVITY**

Chemical Stability:	Stable
Hazardous Reactions:	None
Conditions to avoid:	Dust generation
Incompatible Materials:	None
Hazardous Decomposition Products:	None

## **SECTION 11: TOXICOLOGICAL INFORMATION**

**Health Effects: Acute (short term)** 

mountmentor / tout	
Swallowed:	Unlikely under normal industrial use, but swallowing more than a mouthful may result in abdominal discomfort.
Eyes:	Splashes or dust from the dried product may irritate the eyes causing watering and redness. Exposure to dust may aggravate pre-existing eye conditions.
Skin:	The dust from this product, particularly in association with heat and sweat, may cause irritation, but it is not absorbed through the skin and may be mildly irritating and drying to the skin due to its physical characteristics.
Inhaled:	Dust is mildly irritating to the nose, throat and respiratory tract and may cause coughing and sneezing. Pre-existing upper respiratory and lung diseases including asthma and bronchitis may be aggravated.

## **Health Effects: Chronic (long term)**

Skin:	Prolonged and repeated skin contact may result in dermatitis (redness and skin irritation). Repeated heavy contact with the dust may cause drying of the skin and can result in skin rash (dermatitis) typically affecting the hands. Over time this may become chronic and can also become infected.
Inhaled:	Repeated exposure to the dust may result in increased nasal and respiratory secretions and coughing. Inflammation of lining tissue of the respiratory system may follow repeated exposure to high levels of dust with increased risk of bronchitis and pneumonia.

### **Toxicity Data**

The information shown is based on the toxicity profiles of a number of acrylic emulsions that are similar in composition to the acrylic polymer used in this product.

Acute Data for acrylic polymer emulsion ingredient:

Oral LD50 - rat: > 5000 mg/kg Dermal LD50 - rabbit: > 5000 mg/kg

Skin irritation - rabbit: practically non-irritating Eye irritation - rabbit: inconsequential irritation

### **SECTION 12: ECOLOGICAL INFORMATION**

Eco-toxicity:	The physical and chemical nature of the product, and toxicological data on ingredients, indicate that this product is a relatively low risk.
Persistence and Degradability:	Product is persistent and would have a low degradability.
Bioaccumulative potential:	There is no evidence to suggest bioaccumulation will occur.
Mobility in soil:	A low mobility would be expected in a landfill situation.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

This product can be treated as a common waste for disposal or dumped into a landfill site in accordance with local authority guidelines. Measures should be taken to prevent dust generation during disposal and exposure and personal precautions should be observed (see above).

### **SECTION 14: TRANSPORT INFORMATION**

UN number:	None allocated
UN Proper Shipping Name:	None allocated
Class and Subsidiary Risk:	None allocated
Packaging Group:	None allocated
Marine Pollutant:	No
Special Precautions for User:	None
HAZCHEM code:	None allocated

#### **SECTION 15: REGULATORY INFORMATION**

Poisons Schedule:	Not scheduled
-------------------	---------------

### **SECTION 16: OTHER INFORMATION**

For further information on this product, please contact:

CSR Building Products Limited (ABN 55 008 631 356), Triniti 3, 39 Delhi Road, North Ryde, NSW 2113, Australia

**Phone:** +61 2 9372 5888 or 1800 807 668 (available in Australia only)

**Fax:** +61 2 9372 5877

### **ADDITIONAL INFORMATION**

### **Australian Standards References:**

AS 1336 Recommended Practices for Occupational Eye Protection	
---	--

AS 1715	Selection, Use and Maintenance of Respiratory Protective Devices
AS 1716	Respiratory Protective Devices
AS 2161	Industrial Safety Gloves and Mittens (excluding electrical and medical gloves)

#### Other References:

NOHSC:1008 (2004)	Approved Criteria for Classifying Hazardous Substances
Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals, December 2011, Safe Work Australia.
Model Code of Practice	Labelling of Workplace Hazardous Chemicals, December 2011, Safe Work Australia.
Model Code of Practice	Managing Risks Of Hazardous Chemicals In The Workplace, July 2012, Safe Work Australia.
WHS	Guidance on the Classification of Hazardous Chemicals under the WHS Regulations, April 2012, Safe Work Australia.
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail, 7 <sup>th</sup> edition, National Transport Commission.
WES	Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
WES	Guidance On The Interpretation Of Workplace Exposure Standards For Airborne Contaminants, April 2013, Safe Work Australia.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals (GHS), 3 <sup>rd</sup> revised edition, United Nations, New York and Geneva, 2009.
GHS	Understanding the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), United Nations, New York and Geneva, 2010.
HSIS	Hazardous Substances Information System (HSIS), internet advisory service, Safe Work Australia.
HCIL	GHS Hazardous Chemical Information List (HCIL), internet advisory service, Safe Work Australia.

### **AUTHORISATION**

Reason for Issue:	Update to GHS format
Authorised by:	Peter Tollens
Date of Issue:	19/09/2016

Whilst the information contained in this document is based on data which, to the best of our knowledge, was accurate and reliable at the time of preparation, no responsibility can be accepted by us for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information.

**END OF SDS**