

Product Data Sheet

Gyptone™ Access Panels



To ensure a seamless look Gyptone Access Panels blend almost imperceptibly into the ceiling with a perforation pattern that matches each of the Gyptone boards.

Product Overview

Gyptone Access panels are designed to allow easy access for inspection and maintenance of services located above the **Gyptone perforated plasterboard** acoustic ceilings. Available in each of the three Gyptone board patterns, they consist of a plasterboard frame that is easily set into the ceiling and a 510mm x 510mm hatch piece with a matching perforation pattern that fits neatly into the frame to create a seamless look.

Typical Applications

Gyptone Access Panels are typically used in Gyptone acoustic ceilings in offices, theatres, restaurants, shopping centres and hotel foyers.

Activ'Air – for enduring, cleaner air

Activ'Air is a patented technology that converts formaldehyde into non-harmful inert compounds that are permanently locked in the board and cannot be released back into the air. Controlled testing has shown that Activ'Air can reduce the concentration of formaldehyde within an environment by up to 60% when installed in ceilings, even when there is continuous airflow containing formaldehyde. Installing **Gyptone or Rigitone perforated plasterboard** containing Activ'Air technology to ceilings and/or walls will have an enduring impact on air quality and will improve the environment for people working and living in the space.



Aesthetics

Maintains the seamless look




Acoustics

Absorbs sound into the ceiling to prevent reverberation



Easy Maintenance

Allows access for maintenance



Technical Specifications

Product Options

Gyptone Access Panels are 600mm x 600mm including the frame with a 510mm x 510mm x 12.5mm hatch piece/opening measurement. The frame weight is 0.9kg and the hatch is approximately 3.6kg.

Stockholdings may vary. For product availability and to place an order, contact your nearest supplier.

Product Manufacture

Gyptone Access Panels are manufactured for CSR Gyprock by worldwide plasterboard specialist Saint-Gobain.

Product Handling

Transportation and manual handling: Refer to the Gypsum Board Manufacturers of Australia (GBMA) website for recommended OH&S practices.

Health and Safety

Safety Data Sheets are important documents in the construction industry and assist in the continuing focus on occupational health and safety on and off sites.

Installing to Standards

AS/NZS2589: Gypsum linings – Application and Finishing outlines the procedures for the installation and finishing of Gyprock Perforated Plasterboard in conjunction with additional details contained in Gyprock Technical Literature.



International Alliance Warranty

Through the International Alliance program, Gyprock seeks to develop exclusive relationships with leading manufacturers throughout the world to deliver the best technologies and products to the Australian construction industry.



Certified Low VOC

Exceeds the GBCA specification for Volatile Organic Compound content according to independent testing.

Resources

Gyprock makes available [resources](#) that provide comprehensive selection, design, installation and maintenance guidance.