

Product Data Sheet

Concerto™ Cornice



One of the most versatile designs in the range, Gyprock Concerto cornice combines smooth curves, distinctive lines and sharp centre step to make this 90mm cornice an ideal way to introduce a more formal style into a home.

Product Overview

While cornice effectively bridges the junctions between walls and ceilings, its purpose extends beyond function, providing the perfect finishing touch to the aesthetic harmony of a home.

Concerto's smooth curves and lines create different moods in the room at various times of the day – by the evening, you will see a delightful shadow on the Concerto cornice that instantly adds depth of character.

When balanced with other interior design features such as architraves, skirting and even door hardware, cornice can help make a subtle or dramatic style statement in a home. **Gyprock Symphony**'s soft curves make it an ideal compliment for a more subtle effect.

Typical Applications

Concerto's curves and sharp centre step make it the perfect choice for more formal foyers, living spaces and entertainment rooms. It also can be installed with the stepped edge either facing up or down to create a completely different effect.



90mm Profile

For maximum presence and visibility



Pairing

Combine with a feature profile for added interest



Versatile

Can be installed in reverse

Technical Specifications

Product Options

Concerto Cornice is available in the following size

Width	90mm
Length	4800mm

Stockholdings may vary. For product availability and to place an order, contact your nearest supplier.

Product Manufacture

Concerto Cornice is manufactured by CSR Gyprock in Australia to stringent product specifications.

Product Handling

Transportation and manual handling: Refer to the Gypsum Board Manufacturers of Australia (GBMA) website for recommended OH&S practices.

Storage: Protect plasterboard and cornice from weather and moisture. Avoid products sagging by storing horizontally, supported on a level platform or full-width support members spaced at max. 600mm centres.

Health and Safety

Safety Data Sheets are important documents in the construction industry and assist in the continuing focus on occupational health and safety on and off sites.

Installation Instructions

Installing to Standards

AS/NZS2589: Gypsum linings – Application and Finishing outlines the procedures for the installation and finishing of Gyprock cornice in conjunction with additional details contained in Gyprock Technical Literature.



Manufactured for Life

Gyprock products are manufactured for life with all CSR products designed to achieve optimal performance when part of a CSR integrated system.

Resources

Gyprock makes available [resources](#) that provide comprehensive selection, design, installation and maintenance guidance.