

Product Data Sheet

Tempo™ Cornice

Gyprock Tempo balances clean surfaces and subtle lines to make this 90mm cornice a popular choice for contemporary interiors that require a crisp designer edge in every element of the room.

Product Overview

While cornice effectively bridges the junctions between walls and ceilings, its purpose extends beyond function, providing the perfect finishing touch to the aesthetic harmony of a home.

Tempo's multiple shadow lines and clean surfaces enhance the sense of space in a modern home making it ideal for open-plan living.

When balanced with other interior design features such as architraves, skirting and even door hardware, cornice can help make a subtle or dramatic style statement in a home.

Typical Applications

Tempo's is the perfect choice to add a crisp designer edge to foyers, living spaces and entertainment rooms. It also can be installed over existing 55mm Cove cornice which makes it the perfect option to add style when you are freshening up an existing room.



Australian Made

Licensed by Australian Made Campaign Ltd



90mm Profile

For maximum presence and visibility



Refresh Your Style

Can be installed over existing 55mm Cove cornice



25 Year Warranty

Specify and install with confidence

Technical Specifications

Product Options

Tempo Cornice is available in the following size

Width	90mm
Length	4800mm

Stockholdings may vary. For product availability and to place an order, contact your **nearest supplier**.

Product Manufacture

Tempo Cornice is manufactured by CSR Gyprock in Australia to stringent product specifications.

Product Handling

Transportation and manual handling: Refer to the **Gypsum Board Manufacturers of Australia (GBMA) website** for recommended OH&S practices.

Storage: Protect plasterboard and cornice from weather and moisture. Avoid products sagging by storing horizontally, supported on a level platform or full-width support members spaced at max. 600mm centres.

Health and Safety

Safety Data Sheets are important documents in the construction industry and assist in the continuing focus on occupational health and safety on and off sites.

Installation Instructions

Installing to Standards

AS/NZS2589: Gypsum linings – Application and Finishing outlines the procedures for the installation and finishing of Gyprock cornice in conjunction with additional details contained in Gyprock Technical Literature.

Resources

Gyprock makes available **resources** that provide comprehensive selection, design, installation and maintenance guidance.



Australian Made

Licensed by Australian Made Campaign Limited to use the Australian Made Logo.



Manufactured for Life

Gyprock plasterboard products are manufactured for life with all CSR products designed to achieve optimal performance when part of a CSR integrated system.