



Product Data Sheet

Easy Tape



Easy Tape is a self-adhesive, fibreglass mesh jointing tape designed for plasterboard repairs and minor wall jointing projects.

Product Overview

Gyprock Easy Tape is a self-adhesive, 50mm wide tape designed to strengthen joints when embedded in the first coat of the jointing system. Available in 20m and 90m rolls, it's open mesh structure also makes it ideal for repairing cracks and small holes, providing excellent support for patching compounds.

Typical Applications

Recommended for jointing minor sections of wall, Gyprock Easy Tape is embedded in the first coat of a three coat jointing system to improve strength and resist cracking in wall joints. It is also ideal for providing support to patching compound when repairing cracks and small holes. It is not recommended for taping ceiling joints or fire rated systems.



Two Handy Sizes

Catering for both smaller and larger jobs



Strong

Strengthens joints



Self-adhesive

Easy to use

Technical Specifications

Product Options

Easy Tape is available in two roll sizes:

Width	50mm
Length	20m 90m

For product availability and to place an order, contact your **nearest supplier**.

Product Manufacture

Easy Tape is manufactured for CSR Gyprock in Australia to stringent product specifications.

Installation Instructions

Installing to Standards

AS/NZS2589: Gypsum linings – Application and Finishing outlines the procedures for jointing and finishing of Gyprock plasterboard in conjunction with additional details contained in Gyprock Technical Literature.



Manufactured for Life

Gyprock products are manufactured for life with all CSR products designed to achieve optimal performance when part of a CSR integrated system.

Resources

Gyprock makes available [resources](#) that provide comprehensive selection, design, installation and maintenance guidance.